



BR4300 Pump w/ Base & Coupling Guard Option (B)



BR4300 B

ITEM	QTY	TITLE	MATERIAL	STOCK NUMBER
85	6	HEX HEAD CAP SCREW	Steel	BA-0163
86	6	HEX NUT	Steel	BA-0164
87	6	FLAT WASHER	Steel	BA-0167
88	6	SPRING SPLIT LOCK WASHER	Galvanized Steel	BA-5100-10
89	1	BASE	Galvanized Steel	BB-0437
90	1	COUPLING GUARD	Galvanized Steel	BB-1167


BR4300 Pump w/ Base & Motor Option (P)



BR4300 P

ITEM	QTY	TITLE	MATERIAL	STOCK NUMBER
85	10	HEX HEAD CAP SCREW	Steel	BA-0163
86	10	HEX NUT	Steel	BA-0164
87	10	FLAT WASHER	Steel	BA-0167
88	10	SPRING SPLIT LOCK WASHER	Galvanized Steel	BA-5100-10
89	1	BASE	Galvanized Steel	BB-0437
90	1	COUPLING GUARD	Galvanized Steel	BB-1167
91	1	MOTOR (see Motor Table for options)		

BR4300 Multihead Pump w/ Motor Option




Note: Additional bases available to allow between 5 and 8 heads to be run from a single motor (items 101, 102)

BR4300 MULTIHEAD

ITEM	QTY	TITLE	MATERIAL	STOCK NUMBER
85	16	HEX HEAD CAP SCREW	Steel	BA-0163
86	16	HEX NUT	Steel	BA-0164
87	16	FLAT WASHER	Steel	BA-0167
88	16	SPRING SPLIT LOCK WASHER	Galvanized Steel	BA-5100-10
90	2	COUPLING GUARD	Galvanized Steel	BB-1167
91°	1	MOTOR (see Motor Table for options)		
99°	1	EXTENDED BASE (4 HEAD)	Galvanized Steel	BB-0436
101°	1	EXTENDED BASE (6 HEAD)	Galvanized Steel	BB-0436A
102°	1	EXTENDED BASE (8 HEAD)	Galvanized Steel	BB-0436B
°		Options		

BR4300 Pump w/ Tank & Motor Option



BR4300

ITEM	QTY	TITLE	MATERIAL	STOCK NUMBER
85	10	HEX HEAD CAP SCREW	Steel	BA-0163
86	10	HEX NUT	Steel	BA-0164
87	11	FLAT WASHER	Steel	BA-0167
88	10	SPRING SPLIT LOCK WASHER	Galvanized Steel	BA-5100-10
90	1	COUPLING GUARD	Galvanized Steel	BB-1167
91°	1	MOTOR (see Motor Table for options)		
92	1	HEX HEAD CAP SCREW	Steel	BA-0143
93	1	HEX NUT	Steel	BA-0144
94	1	SPRING SPLIT LOCK WASHER	Galvanized Steel	BA-0425
95	1	5 GALLON TANK	Stainless Steel	BA-0664
96*	1	MALE ELBOW	Polypropylene	BA-3116
°	1	MALE ELBOW	Carbon Steel Plated	BA-4016
97*	1	MALE CONNECTOR	Polypropylene	BA-3118
°	1	MALE CONNECTOR	Steel	BA-5100-11
98*	1	TUBING	Polypropylene	BA-3162
°	1	TUBING	Stainless Steel	BA-3163
99	1	EXTENDED BASE	Galvanized Steel	BB-0436
100	1	TANK GAUGE		BB-0871
*		Polypropylene Tubing - Standard		
°		Options		

BR4300 Motor Options Table

MOTOR OPTIONS		
ITEM	SPECIFICATIONS	STOCK NUMBER
91	No Motor	
°	1/4 HP, 1 Ph, 60 Hz, 115/230V, Ex. Proof, Class 1, Div 1, 1725 RPM	BA-2265
°	1/3 HP, 1 Ph, 60 Hz, 115/230V, Ex. Proof, Class 1, Div 1, 1725 RPM	BA-2265-0
°	1/2 HP, 1 Ph, 60 Hz, 115/230V, Ex. Proof, Class 1, Div 1, 1725 RPM	BA-2265-1
°	3/4 HP, 1 Ph, 60 Hz, 115/230V, Ex. Proof, Class 1, Div 1, 1725 RPM	BA-2265-2
°	1 HP, 1 Ph, 60 Hz, 115/230V, Ex. Proof, Class 1, Div 1, 1725 RPM	BA-2265-3
°	1/4 HP, 3 Ph, 60 Hz, 230/460V, Ex. Proof, Class 1, Div 1, 1725 RPM	BA-2271
°	1/3 HP, 3 Ph, 60 Hz, 230/460V, Ex. Proof, Class 1, Div 1, 1725 RPM	BA-2271-0
°	1/2 HP, 3 Ph, 60 Hz, 230/460V, Ex. Proof, Class 1, Div 1, 1725 RPM	BA-2271-1
°	1/3 HP, 1 Ph, 60 Hz, 115/230V, TEFC, 1725 RPM	BA-2264-0
°	1/3 HP, 1 Ph, 50 Hz, 115/230V, Ex. Proof, Class 1, Div 1, 1450 RPM	BA-2265A-0
°	1/4 HP, 12VDC, TENV, 1800 RPM	BA-2263
°	1/2 HP, 12VDC, TENV, 1800 RPM	BA-2263-1
°	1/4 HP, 12VDC, Ex. Proof, 1800 RPM	BA-2263B
°	Hydraulic Motor	Consult Factory